

# SAFETY DATA SHEET

## **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

<u>1.1 Product Identifier</u> Product Name: BEVMIX Synonyms: Beverage Gas, N<sub>2</sub>/CO<sub>2</sub> gas mix, BevMix 20, BevMix 30, BevMix 60, BevMix 80 Product Codes: B2401, B2402, B2403, B2404

<u>1.2 Relevant Identified Uses and Uses Advised Against</u> Identified Uses: Beverage dispensing, carbonation, beer and soft drink service Uses Advised Against: Not for medical use or human respiration

#### **1.3 Supplier Details**

Supplier: Industrial Gases New Zealand Ltd t/a Eziswap Gas Address: 6 and 10 Canaveral Drive, Rosedale, Auckland, NEW ZEALAND Phone: +64 9 444 0357 Email: sales@eziswapgas.co.nz Website: http://www.eziswapgas.co.nz

**<u>1.4 Emergency Telephone Number</u>** 

Emergency Telephone (NZ Only): 111

# 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the Substance or Mixture

Gases under pressure - Compressed gas (HSNO 6.5)

#### 2.2 GHS Label Elements

Signal word: Pictogram: WARNING



#### Hazard Statements:

• H280: Contains gas under pressure; may explode if heated

#### **Precautionary Statements:**

- · P103: Read label before use
- P410+P403: Protect from sunlight. Store in a well-ventilated place

#### 2.3 Other Hazards

- Asphyxiant at high concentrations
- Carbon dioxide may increase breathing rate and cause respiratory discomfort
- · May displace oxygen in enclosed or poorly ventilated areas

# 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	CAS Number	EC Number	Content (v/v)
Carbon Dioxide	124-38-9	204-696-9	18–83%
Nitrogen	7727-37-9	231-783-9	Balance to 100%

Note: Exact composition may vary depending on application and formulation.

# 4. FIRST AID MEASURES

### 4.1 Description of First Aid Measures

- Inhalation: Remove to fresh air. Provide oxygen if breathing is difficult. Call medical personnel if symptoms persist.
- Skin Contact: Not expected to cause irritation. If exposed to cold gas, warm area gently.
- Eye Contact: Flush eyes with lukewarm water. Seek medical attention if discomfort continues.
- Ingestion: Not applicable.

## 4.2 Most Important Symptoms and Effects

Rapid breathing, dizziness, and potential unconsciousness due to oxygen displacement.

### 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Treat asphyxia symptomatically. Administer oxygen if required.

# 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing Media

Not flammable. Use appropriate extinguishing agent for surrounding materials.

### 5.2 Special Hazards Arising from the Substance

Cylinder may rupture when exposed to heat. Gases are asphyxiants.

### 5.3 Advice for Firefighters

- Evacuate area and cool cylinders with water spray
- Use SCBA and full protective equipment

## 5.4 Hazchem Code

2T

# 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

- Evacuate area and ventilate
- · Use SCBA in poorly ventilated areas or confined spaces

### 6.2 Environmental Precautions

Avoid release into confined or low-lying spaces.

### 6.3 Methods and Materials for Containment and Clean-Up

- Stop leak if safe to do so
- · Allow gas to disperse in open air

## 6.4 Reference to Other Sections

See Sections 8 and 13

### 7. HANDLING AND STORAGE

### 7.1 Precautions for Safe Handling

- · Do not handle cylinders roughly
- · Use only in well-ventilated areas
- · Keep equipment free from oil and grease

### 7.2 Conditions for Safe Storage, Including Any Incompatibilities

- Store below 45°C in a dry, well-ventilated area
- Keep cylinders upright and secured against movement

### 7.3 Specific End Use(s)

Used in beverage dispensing and food service gas systems

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control Parameters (Workplace Exposure Standards - NZ WES 2022)

- Carbon Dioxide (CO<sub>2</sub>): TWA 5,000 ppm (9,000 mg/m<sup>3</sup>) | STEL 9,000 ppm (16,300 mg/m<sup>3</sup>)
- Nitrogen: Simple asphyxiant (no WES assigned)

### 8.2 Exposure Controls

- · Engineering Controls: Ensure adequate ventilation or local exhaust
- Personal Protective Equipment (PPE):
  - Eye Protection: Safety glasses
  - Skin Protection: Insulated gloves when handling cold cylinders
  - Respiratory Protection: Use SCBA in confined spaces or during emergencies



## 9. PHYSICAL AND CHEMICAL PROPERTIES

Dreverty	Valua		
Property	Value		
Appearance	Colourless, odourless gas		
Odour Threshold	Not applicable		
рН	Not applicable		
Boiling Point	< -180°C (mixture dependent)		
Vapour Density (Air=1)	>1		
Solubility in Water	Slight		
Flammability	Non-flammable		
Critical Temperature	Varies by mixture		
Relative Density	Varies		

### **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

Stable under normal conditions

#### 10.2 Chemical Stability

Stable at room temperature and pressure

#### 10.3 Possibility of Hazardous Reactions

None under normal handling

#### 10.4 Conditions to Avoid

Heat, open flame, and confined spaces without ventilation

### 10.5 Incompatible Materials

Strong oxidisers and flammable materials

#### **10.6 Hazardous Decomposition Products**

None

### **11. TOXICOLOGICAL INFORMATION**

- Acute Toxicity: Not classified
- · Inhalation: May cause respiratory stimulation, dizziness, and unconsciousness at high concentrations
- Skin: Not irritating
- Eye: Not irritating
- · Chronic Effects: No long-term health effects expected under normal use

### **12. ECOLOGICAL INFORMATION**

- Ecotoxicity: Not expected to harm aquatic life
- Persistence and Degradability: Gases dissipate in atmosphere
- · Bioaccumulation Potential: None
- Mobility in Soil: High
- Other Adverse Effects: Displaces oxygen

### **13. DISPOSAL CONSIDERATIONS**

- Product: Vent to atmosphere in a safe, open area
- · Container: Return cylinders to supplier
- Do not incinerate or puncture

## **14. TRANSPORT INFORMATION**

Mode	UN Number	Proper Shipping Name	Class	Packing Group	Hazchem	EMS
Land	UN1956	Compressed Gas, N.O.S.	2.2	Not applicable	2Т	
Sea (IMDG)	UN1956	Compressed Gas, N.O.S.	2.2	Not applicable	2Т	F-C, S-V
Air (IATA)	UN1956	Compressed Gas, N.O.S.	2.2	Not applicable	_	

#### Additional Notes:

- Classified as a Dangerous Good under NZS 5433, IMDG, and IATA.
- Hazard Label:



- · Do not transport in passenger compartments.
- · Secure cylinders upright during transport.

## **15. REGULATORY INFORMATION**

- HSNO Approval Code: HSR002531
- Group Standard: Compressed Gases (Non-flammable) Group Standard 2017
- Inventory Status: All components listed on NZIoC

### **16. OTHER INFORMATION**

- This SDS has been prepared in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017 and GHS 7
- · Ensure proper training in gas handling and emergency procedures
- Store and handle in accordance with NZS 5433 and AS/NZS 2022
- Use signage and protective equipment appropriate for compressed gases
- Revision Date: June 2025